

UK Collembola, in alphabetical order
List assembled by Peter Shaw, September 2015

Agrenia bidenticulata (Tullberg, 1876)
Allacma fusca (Linnaeus, 1758)
Allonychiurus edinensis (Bagnall, 1935)
Anurida denisi (Bagnall, 1939)
Anurida ellipsoides Stach, 1949
Anurida granaria (Nicolet, 1847)
Anurida maritima (Guérin, 1839)
Anurida thalassophila (Bagnall, 1939)
Anurida tullbergi Schött, 1891
Anuridella calcarata Denis, 1925
Anuridella immsiana Bagnall, 1939
Anuridella marina Willem, 1906
Anuridella submarina Bagnall, 1934
Anuroporus laricis Nicolet, 1842
Anuroporus satchelli Goto, 1956
Anuroporus unguiculus Bagnall, 1940
Archisotoma besselsi (Packard, 1877)
Archisotoma megalops Bagnall, 1939
Archisotoma pulchella (Moniez, 1890)
Archisotoma theae Fjellberg, 1980
Arrhopalites bifidus Stach, 1945
Arrhopalites caecus (Tullberg, 1871)
Arrhopalites cochlearifer Gisin, 1947
Arrhopalites principalis Stach, 1945
Arrhopalites pygmaeus (Wankel, 1861)
Arrhopalites sericus Gisin, 1947
Arrhopalites terricolus Gisin, 1958
Axelsonia littoralis (Moniez, 1890)
Ballistura borealis (Axelson, 1905)
Ballistura filifera (Denis, 1931)
Ballistura fitchi (Denis, 1933)
Ballistura schoetti (Dalla Torre, 1895)
Bilobella braunerae Deharveng, 1978
Bourletiella arvalis (Fitch, 1863)
Bourletiella hortensis (Fitch, 1863)
Bourletiella viridescens Stach, 1920
Brachystomella parvula (Schäffer, 1896)
Calvatomina rufescens (Reuter, 1890)
Calvatomina superba (Salmon, 1943)
Caprainea marginata (Schött, 1893)
Cassagnaudiella pruinosa (Tullberg, 1871)
Ceratophysella armata (Nicolet, 1842)
Ceratophysella bengtsoni (Ågren, 1904)
Ceratophysella denticulata (Bagnall, 1941)
Ceratophysella engadinensis (Gisin, 1949)
Ceratophysella gibbosa (Bagnall, 1940)
Ceratophysella granulata Stach, 1949

Ceratophysella longispina (Tullberg, 1876)
Ceratophysella rufescens (Nicolet, 1842)
Ceratophysella scotica (Carpenter & Evans, 1899)
Ceratophysella sigillata (Uzel, 1891)
Ceratophysella succinea (Gisin, 1949)
Choreutinula inermis (Tullberg, 1871)
Cryptopygus bipunctatus (Axelson, 1903)
Cryptopygus garretti (Bagnall, 1939)
Cryptopygus scapelliferus (Gisin, 1955)
Cryptopygus sphagneticolus (Linnaniemi, 1912)
Cryptopygus thermophilus (Axelson, 1900)
Cyphoderus albinus Nicolet, 1842
Cyphoderus bidenticulatus Parona, 1888
Deharvengiurus argus (Denis, 1925)
Desoria infuscata (Murphy, 1959)
Desoria nivalis (Carl, 1910)
Desoria nivea (Schäffer, 1896)
Desoria olivacea (Tullberg, 1871)
Desoria tigrina Nicolet, 1842
Desoria trispinata (Axleson, 1943)
Desoria violacea Tullberg, 1876
Detriturus jubilarius (Gisin, 1957)
Deuteraphorura inermis (Tullberg, 1871)
Deuteraphorura nervosa (Stach, 1954)
Deuteraphorura scotaria (Gisin, 1954)
Deuteraphorura variabilis (Stach, 1954)
Deuterosminthurus bicinctus (Koch, 1840)
Deuterosminthurus pallipes (Bourlet, 1843)
Deuterosminthurus sulphureus (Koch, 1840)
Dicyrtoma fusca (Lubbock, 1873)
Dicyrtomina minuta (O. Fabricius, 1783)
Dicyrtomina ornata (Nicolet, 1842)
Dicyrtomina saundersi (Lubbock, 1862)
Disparrhopalites patrizi (Cassagnau & Delamare Deboutteville, 1953)
Entomobrya albocincta (Templeton, 1835)
Entomobrya corticalis (Nicolet, 1841)
Entomobrya handschini Stach, 1922
Entomobrya imitabilis Stch, 1963
Entomobrya intermedia Brook, 1884
Entomobrya lanuginosa (Nicolet, 1841)
Entomobrya marginata (Tullberg, 1871)
Entomobrya maritima (Schött, 1893)
Entomobrya multifasciata (Tullberg, 1871)
Entomobrya muscorum (Nicolet, 1841)
Entomobrya nicoleti (Lubbock, 1867)
Entomobrya nivalis (Linnaeus, 1758)
Entomobryoides myrmecophilus (Reuter, 1886)
Folsomia achaeta Bagnall, 1939
Folsomia agrelli Gisin, 1944
Folsomia bisetosa Gisin, 1953

Folsomia brevicauda Agrell, 1939
Folsomia brevifurca (Bagnall, 1949)
Folsomia candida Willem, 1902
Folsomia diplophthalma (Axelson, 1902)
Folsomia fimetaria (Linnaeus, 1758)
Folsomia fimetariooides (Axelson, 1903)
Folsomia inoculata Stach, 1947
Folsomia litsteri Bagnall, 1939
Folsomia manolachei Bagnall, 1939
Folsomia microchaeta Agrell, 1939
Folsomia palaearctica Potapov & Babenko, 2000
Folsomia penicula Bagnall, 1939
Folsomia quadrioculata (Tullberg, 1871)
Folsomia sexoculata (Tullberg, 1871)
Folsomia similis Bagnall, 1939
Folsomia spinosa Kseneman, 1936
Folsomia thalassophila Bagnall, 1940
Folsomides angularis (Axelson, 1905)
Folsomides parvulus Stach, 1922
Friesea acuminata (Denis, 1925)
Friesea afurcata (Denis, 1926)
Friesea claviseta Axelson, 1900
Friesea emucronata (Stach, 1922)
Friesea mirabilis (Tullberg, 1871)
Friesea truncata Cassagnau, 1958
Gisinianus flammeolus (Gisin, 1957)
Halisotoma maritima (Tullberg, 1871)
Halisotoma poseidonis (Bagnall, 1939)
Heteromurus major Moniez, 1889
Heteromurus nitidus (Templeton, 1835)
Heterosminthurus bilineatus (Bourlet, 1842)
Heterosminthurus claviger Gisin, 1958
Heterosminthurus insignis (Reuter, 1876)
Heterosminthurus novemlineatus (Tullberg, 1871)
Hymenaphorura nova (Pomorski, 1998)
Hypogastrura assimilis Krausbauer, 1898
Hypogastrura browni (Bagnall, 1940)
Hypogastrura burkilli (Bagnall, 1940)
Hypogastrura distincta (Axelson, 1902)
Hypogastrura elegans (Parfitt, 1891)
Hypogastrura lapponica (Axelson, 1902)
Hypogastrura litoralis (Axelson, 1907)
Hypogastrura manubrialis (Tullberg, 1869)
Hypogastrura packardi (Folsom, 1902)
Hypogastrura purpurescens (Lubbock, 1867)
Hypogastrura sahlbergi (Reuter, 1895)
Hypogastrura serrata (Ågren, 1904)
Hypogastrura socialis (Uzel, 1891)
Hypogastrura tullbergi (Schäffer, 1900)
Hypogastrura vernalis (Carl, 1901)

Hypogastrura viatica (Tullberg, 1872)
Isotoma anglicana Lubbock, 1862
Isotoma caerulea Bourlet, 1939
Isotoma coeca Reuter & Reuter, 1880
Isotoma intermedia Schött, 1902
Isotoma riparia (Nicolet, 1842)
Isotoma viridis Bourlet, 1839
Isotomiella minor (Schäffer, 1896)
Isotomiella paraminor Gisin, 1942
Isotomodes bisetosus Cassagnau, 1959
Isotomodes productus (Axelson, 1906)
Isotomodes templetoni Bagnall, 1939
Isotomodes trisetosus Denis, 1923
Isotomurus alticolus (Carl, 1899)
Isotomurus antennalis (Bagnall, 1940)
Isotomurus balteatus (Reuters, 1876)
Isotomurus bimaculatus (Ågren, 1903)
Isotomurus fuciculus (Schött, 1893)
Isotomurus maculatus (Schäffer, 1896)
Isotomurus palustris (Müller, 1776)
Isotomurus plumosus Bagnall, 1940
Isotomurus prasinus (Reuter, 1891)
Isotomurus unifasciatus (Börner, 1901)
Kalaphorura bearei (Bagnall, 1937)
Kalaphorura burmeisteri (Lubbock, 1873)
Katianna schoetti (Womersley, 1933)
Katianna sp3
Lathriopyga longiseta (Caroli, 1912)
Lepidocyrtus curvicollis Bourlet, 1839
Lepidocyrtus cyaneus Tullberg, 1871
Lepidocyrtus lanuginosus (Gmelin, 1788)
Lepidocyrtus lignorum (Fabricius, 1775)
Lepidocyrtus pallidus Reuter, 1890
Lepidocyrtus paradoxus Uzel, 1891
Lepidocyrtus ruber Schött, 1902
Lepidocyrtus violaceus Lubbock, 1873
Lipothrix lubbocki (Tullberg, 1872)
Marisotoma tenuicornis (Axelson, 1903)
Megalothorax incertus Börner, 1903
Megalothorax minimus Willem, 1900
Megaphorura arctica (Tullberg, 1876)
Mesaphorura atlantica (Rusek, 1979)
Mesaphorura hylophila (Rusek, 1982)
Mesaphorura iowensis (Mills, 1932)
Mesaphorura krausbaueri Börner, 1901
Mesaphorura macrochaeta Rusek, 1976
Mesaphorura tenuisensillata Rusek, 1974
Mesaphorura yosiii (Rusek, 1967)
Mesentotoma dollfusi (Denis, 1924)
Mesogastrura libyca (Caroli, 1914)

Metaphorura affinis (Börner, 1902)
Micranurida forsslundi Gisin, 1949
Micranurida granulata (Agrell, 1943)
Micranurida pygmaea Börner, 1901
Micranurida sensillata (Gisin, 1953)
Micraphorura absoloni (Börner, 1901)
Micronychiurus minutus (Denis, 1932)
Monobella grassei (Denis, 1923)
Neanura muscorum (Templeton, 1835)
Neelides minutus (Folsom, 1901)
Neelus murinus Folsom, 1896
Neonaphorura duboscqi (Denis, 1932)
Neotullbergia crassicuspis (Gisin, 1944)
Neotullbergia ramicuspis (Gisin, 1953)
Neotullbergia tricuspis (Börner, 1902)
Odontella lamellifera (Axelson, 1903)
Oligaphorura schoetti (Lie Pettersen, 1897)
Oncopodura crassicornis Shoebotham, 1911
Onychiurus ambulans (Linnaeus, 1758)
Onychiurus arans Gisin, 1952
Onychiurus dissimulans Gisin, 1952
Onychiurus rectospinatus Stach, 1922
Onychiurus subambulans Denis, 1935
Orchesella alticola Uzel, 1891
Orchesella bifasciata Nicolet, 1842
Orchesella cincta (Linnaeus, 1758)
Orchesella flavescentia (Bourlet, 1839)
Orchesella quinquefasciata (Bourlet, 1842)
Orchesella spectabilis Tullberg, 1871
Orchesella villosa (Geoffroy, 1764)
Orthonychiurus folsomi (Schäffer, 1900)
Orthonychiurus stachianus (Bagnall, 1939)
Pachyotoma crassicauda (Tullberg, 1871)
Pachyotoma sphagnicola (Bagnall, 1940)
Pachyotoma ultonica (Carpenter, 1911)
Paranura sexpunctata Axelson, 1902
Paratullbergia callipygos (Börner, 1902)
Paratullbergia macdougalli Bagnall, 1936
Parisotoma ekmani Fjellberg, 1977
Parisotoma notabilis Schäffer, 1896
Podura aquatica Linnaeus, 1758
Pogonognathellus longicornis (Müller, 1876)
Pogonognathellus flavescentia (Tullberg, 1871)
Polyktianna sp
Proctostephanus madeirensis Gama, 1959
Proisotoma admiritalia Murphy, 1953
Proisotoma buddenbrocki Strenzke, 1954
Proisotoma minima (Absolon, 1901)
Proisotoma minuta (Tullberg, 1871)
Proisotoma tenella (Reuter, 1895)

Proisotoma vestita (Brown, 1923)
Protaphorura alborufescens (Vogler, 1895)
Protaphorura armata (Tullberg, 1869)
Protaphorura aurantiaca (Ridley, 1880)
Protaphorura bagnalli (Salmon, 1959)
Protaphorura bicampata (Gisin, 1956)
Protaphorura caledonica (Bagnall, 1935)
Protaphorura campata (Gisin, 1952)
Protaphorura fimata (Gisin, 1952)
Protaphorura macfadyeni (Gisin, 1953)
Protaphorura meridiata (Gisin, 1952)
Protaphorura octopunctata (Tullberg, 1876)
Protaphorura pannonica (Haybach, 1960)
Protaphorura pseudovanderdrifti (Gisin, 1957)
Protaphorura quadriocellata (Gisin, 1947)
Protaphorura stachi (Bagnall, 1935) not (Denis, 1938)
Protaphorura subuliginata (Gisin, 1956)
Protaphorura tricampata (Gisin, 1956)
Protaphorura tullbergi (Bagnall, 1935)
Pseudachorutella asigillata (Börner, 1901)
Pseudachorutella clavata (Börner, 1901)
Pseudachorutes boernerii Schött, 1902
Pseudachorutes corticicolus (Schäffer, 1896)
Pseudachorutes dubius Krausbauer, 1898
Pseudachorutes parvulus Börner, 1901
Pseudachorutes subcrassus 'group' Tullberg, 1871
Pseudanurophorus alticolus Bagnall, 1949
Pseudanurophorus binoculatus Kseneman, 1934
Pseudisotoma sensibilis (Tullberg, 1876)
Pseudokatianna sp nov
Pseudosinella alba (Packard, 1873)
Pseudosinella boneti Bagnall, 1941
Pseudosinella decipiens Denis, 1925
Pseudosinella dobati Gisin, 1966
Pseudosinella halophila Bagnall, 1939
Pseudosinella immaculata (Lie Pettersen, 1896)
Pseudosinella maritima Bagnall, 1941
Pseudosinella octopunctata Börner, 1901
Pseudosinella petterseni Börner, 1901
Pseudosinella sexoculata Schött, 1902
Ptenothrix atra (Linnaeus, 1758)
Schaefferia emucronata 'group' Absolon, 1900
Schaefferia lindbergi da Gama, 1962
Schaefferia pouadensis Delamare Deboutteville, 1945
Schoettella ununguiculata (Tullberg, 1869)
Seira domestica (Nicolet, 1841)
Sinella caeca (Schött, 1896)
Sinella curviseta Brook, 1882
Sinella humicola Brown, 1926
Sinella pulcherrima Agrell, 1939

Sinella tenebricosa Folsom, 1902
Sminthurides aquaticus (Bourlet, 1843)
Sminthurides bifidus Mills, 1934
Sminthurides cruciatus Axelson, 1905
Sminthurides malmgreni (Tullberg, 1876)
Sminthurides parvulus (Krausbauer, 1898)
Sminthurides pseudassimilis Stach, 1956
Sminthurides schoetti Axelson, 1903
Sminthurides signatus (Krausbauer, 1898)
Sminthurinus albifrons (Tullberg, 1871)
Sminthurinus alpinus Gisin, 1953
Sminthurinus aureus (Lubbock, 1862)
Sminthurinus bimaculatus Axelson, 1902
Sminthurinus cingulatus Bagnall, 1921
Sminthurinus concolor (Meinert, 1896)
Sminthurinus domesticus Gisin, 1963
Sminthurinus elegans (Fitch, 1863)
Sminthurinus igniceps (Reuter, 1881)
Sminthurinus lawrencei Gisin, 1963
Sminthurinus minutus Macgillivray, 1894
Sminthurinus niger (Lubbock, 1867)
Sminthurinus reticulatus Cassagnau, 1964
Sminthurinus trinotatus Axelson, 1905
Sminthurus multipunctatus (Schäffer, 1896)
Sminthurus nigromaculatus (Tullberg, 1872)
Sminthurus viridis (Linnaeus, 1758)
Sphaeridia pumilis (Krausbauer, 1898)
Sphyrotheca multifasciata (Reuter, 1881)
Stenacidia violacea (Reuter, 1881)
Stenaphorura denisi (Bagnall, 1935)
Stenaphorura japygiformis Absolon, 1900
Stenaphorura lubbocki (Bagnall, 1935)
Stenaphorura quadrispina (Börner, 1901)
Supraphorura furcifera (Börner, 1901)
Tantulonychiurus volinensis (Szeptycki, 1964)
Tetraclanthella arctica Cassagnau, 1959
Tetraclanthella brachyura Bagnall, 1949
Tetraclanthella lichnidis Bagnall, 1949
Tetraclanthella pilosa Schött, 1891
Tetraclanthella wahlgreni Axelson, 1907
Thalassaphorura debilis (Moniez, 1890)
Thalassaphorura encarpata (Denis, 1931)
Thalassaphorura evansi (Bagnall, 1935)
Thalassaphorura halophila (Bagnall, 1937)
Tomocerus sp nov
Tomocerus minor (Lubbock, 1862)
Tomocerus minutus Tullberg, 1876
Tomocerus vulgaris (Tullberg, 1871)
Uzelia setifera Absolon, 1901
Verhoeffiella longicornis (Absolon, 1900)

Vertagopus arboreus (Linnaeus, 1758)
Vertagopus cinereus (Nicolet, 1841)
Vertagopus montanus Stach, 1947
Vertagopus westerlundi (Reuter, 1897)
Willemia anophthalma Börner, 1901
Willemia buddenbrocki Hüther, 1959
Willemia denisi Mills, 1932
Willemia intermedia Mills, 1934
Willemia scandinavica Stach, 1949
Willowsia buski (Lubbock, 1869)
Willowsia nigromaculata (Lubbock, 1873)
Willowsia platani (Nicolet, 1841)
Xenylla acauda Gisin, 1947
Xenylla boernerii Axelson, 1905
Xenylla brevicauda Tullberg, 1869
Xenylla corticalis Börner, 1901
Xenylla grisea Axelson, 1900
Xenylla humicola (O. Fabricius, 1780)
Xenylla longispina Uzel, 1891
Xenylla maritima Tullberg, 1869
Xenylla mucronata Axelson, 1903
Xenylla tullbergi Börner, 1903
Xenylla welchi Folsom, 1916
Xenylla xavieri Gama, 1959
Xenyllodes armatus Axelson, 1903
Yuukianura aphorurooides (Yosii, 1953)